







RoHS Compliant




SEE DETAIL X








MEASURE POINT: QUADRANT POINT (QP) TANGENCY POINT (TP) INTERSECTION POINT (IP) UNLESS OTHERWISE SPECIFIED, TOLERANCE: X. ±0.15 X.x ±0.10 X.xx ±0.05 X.xxx ±0.03 ANGLES ±2°	鸿康科技（东莞）有限公司 Hongkang Technology (Dongguan) Co., Ltd				
	DESIGN: Gu Yi Fei		DATE: 2023.09.18		TITLE: TYPE-C 6PIN沉板1.2防水8.0L
	APPRO:		DATE:		
	REV.: X1		SCALE: 1:1	UNIT: mm	PART NO.: 0520.WPCF.Y2.HK
	SIZE: A4		SHEET: 1/1		
	This document is exclusively owned by Hongkang Electronic Technology Company and shall not be used, in whole or in part, without prior written permission. Email:hkconn@163.com				

RoHS Compliant



SEE DETAIL X



MEASURE POINT: QUADRANT POINT (QP) TANGENCY POINT (TP) INTERSECTION POINT (IP) UNLESS OTHERWISE SPECIFIED, TOLERANCE: X. ±0.15 X.x ±0.10 X.xx ±0.05 X.xxx ±0.03 ANGLES ±2°	鸿康科技（东莞）有限公司 Hongkang Technology (Dongguan) Co., Ltd				
	DESIGN: Gu Yi Fei		DATE: 2023.09.18		TITLE: TYPE-C 6PIN沉板1.2防水8.0L
	APPRO:		DATE:		
	REV.: X1		SCALE: 1:1	UNIT: mm	PART NO.: 0520.WPCF.Y2.HK
	SIZE: A4		SHEET: 1/1		
	This document is exclusively owned by Hongkang Electronic Technology Company and shall not be used, in whole or in part, without prior written permission. Email:hkconn@163.com				